

REYVOW®

(lasmiditan) 

tablets 50mg, 100mg

WHEN A
MIGRAINE ATTACKS,
**ATTACK
BACK™**

*What you need
to know to
get started
on REYVOW*

Indication

REYVOW is a prescription medicine used to treat migraine attacks when they happen in adults. REYVOW is not used to prevent migraine attacks.

Select Safety Information

Do not drive or operate machinery for at least 8 hours after you take REYVOW, even if you feel well enough. **You should not** take REYVOW if you cannot wait at least 8 hours between taking REYVOW and driving or operating machinery.

Please see [page 6](#) for Purpose and Safety Summary.

PAIN FREEDOM GOES BEYOND RELIEF

When you get a migraine attack, you need a medicine that could help not only reduce pain but get rid of it completely. Pain relief is reducing moderate or severe attack pain to mild or no pain at all. **Pain freedom is having no pain at all.**

Select Safety Information

You should not drink alcohol or take other medicines that make you drowsy while taking REYVOW.

Serotonin syndrome is a rare but serious problem that can happen in people using REYVOW, especially if taken with antidepressant medicines called selective serotonin reuptake inhibitors (SSRIs) or serotonin norepinephrine reuptake inhibitors (SNRIs). Call your doctor right away if you have any of these symptoms:

- mental changes, such as seeing things that are not there (hallucinations), agitation, or coma
- fast heartbeat or changes in blood pressure
- high body temperature
- tight muscles
- trouble walking
- nausea, vomiting, diarrhea



REYVOW COULD HELP YOU GO BEYOND RELIEF TO BE **100% PAIN FREE** IN 2 HOURS

In clinical studies of people treating a moderate or severe attack, 28%-39% of people taking REYVOW achieved pain freedom from a migraine attack in 2 hours vs 15%-21% taking placebo.

REYVOW is approved in 3 doses: 50 mg, 100 mg, and 200 mg.

Visit [REYVOW.com](https://www.reyvow.com) to learn more

Please see [page 6](#) for Purpose and Safety Summary.

REYVOW[®]
(lasmiditan)[®]
tablets 50mg, 100mg

TAKE ON MIGRAINE ATTACK PAIN AT ITS WORST

You need a medicine that can stand up to your attack. **REYVOW was proven to work even when pain has progressed to moderate or severe.** So when a painful migraine attacks, REYVOW could still help you be 100% pain free in 2 hours.

Select Safety Information

People who take medicines to treat a migraine when it happens (acute treatments such as REYVOW) for 10 or more days each month can sometimes get worse headaches. If your headaches get worse, your doctor may stop your treatment.

The most common side effects of REYVOW include dizziness, sleepiness, numbness, feeling tired, and tingling. These are not all the possible side effects of REYVOW. Tell your doctor if you have any side effects.

REYVOW is a federally controlled substance (C-V) because it contains lasmiditan, which people who abuse prescription medicines or street drugs may target. Protect REYVOW from being stolen, and never give it to others because it may harm them. Selling or giving away REYVOW is illegal. Tell your doctor if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

FIGHT MORE THAN JUST MIGRAINE PAIN

When you have migraine, you may be fighting symptoms besides pain. These symptoms may include:



Sensitivity to light



Sensitivity to sound



Nausea

REYVOW could help free you from not just migraine attack pain but also your worst symptom besides pain in 2 hours.

Select Safety Information

Before you take REYVOW, tell your doctor about all your medical conditions, including:

- liver problems
- high blood pressure
- a low heart rate
- allergy to lasmiditan
- pregnancy or a plan to become pregnant
- breastfeeding or a plan to breastfeed



Please see [page 6](#) for Purpose and Safety Summary.

REYVOW[®]
(lasmiditan)[Ⓒ]
tablets 50mg, 100mg

TARGET MIGRAINE DIFFERENTLY



REYVOW is the first and only medicine of its kind used to **treat migraine attacks when they happen.**

Although it's not exactly clear how REYVOW works, it's believed that **REYVOW strongly binds to 5-HT_{1F} receptors**, which are thought to play a role in migraine attacks.

Select Safety Information

Before you take REYVOW, tell your doctor about all prescription and over-the-counter medicines, vitamins, and herbal supplements you take. **Especially tell your doctor if you take**

- Propranolol or other medicines that can lower your heart rate
- Medicines that can increase blood pressure
- Medicines that make you sleepy
- Antidepressant medicines called selective serotonin reuptake inhibitors (SSRIs), serotonin norepinephrine reuptake inhibitors (SNRIs), tricyclic anti-depressants (TCAs), or monoamine oxidase inhibitors (MAOIs)

Take REYVOW exactly as your doctor tells you to, and do not change your dose without talking to your doctor. Do not take more than one dose of REYVOW within a 24-hour period. This means you must wait 24 hours between doses of REYVOW, even if your headache does not go away or goes away and then comes back.

THINGS TO KEEP IN MIND



A migraine attack can strike at any moment; but by keeping a few things in mind, you can stay prepared.

- ✓ **Don't drive** or operate machinery for 8 hours after taking REYVOW, even if you feel well enough
- ✓ Do not change your REYVOW dose without talking to your doctor first, and take REYVOW exactly as your doctor tells you to
- ✓ You can take REYVOW with or without food, so don't worry if you've eaten or not
- ✓ You can't take more than 1 dose of REYVOW in 24 hours

Talk to your doctor if you have any questions or want to learn more about REYVOW

Select Safety Information

People who take medicines to treat a migraine when it happens (acute treatments such as REYVOW) for 10 or more days each month can sometimes get worse headaches. If your headaches get worse, your doctor may stop your treatment.

Please see [page 6](#) for Purpose and Safety Summary.

REYVOW[®]
(lasmiditan)[®]
tablets 50mg, 100mg

SUPPORT WHEN YOU WANT IT

You can get REYVOW for **as little as \$0** for up to 12 months if you're eligible and commercially insured.*

Pay as little as \$0 for up to 12 months if you're eligible and commercially insured.*

Activate your savings card at REYVOW.com/savings, by texting **SAVE** to **55900** or by calling **1-833-REYVOW1 (1-833-739-8691)**
Message and data rates may apply

REYVOW[®]
(lasmiditan)[Ⓒ]
tablets 50mg,100mg

RxBIN: <XXXXX>
PCN: <XXXXX>
GROUP: <XXXXX>
ID#: <XXXXX>

Expiration date: <XXXX/XXXX>

This offer is invalid for patients whose prescription claims are eligible to be reimbursed, in whole or in part, by any governmental program.
*See back of card for additional details/restrictions.

*Terms and Conditions:

By using the REYVOW Savings Card ("Card"), you attest that you meet the eligibility criteria, agree to, and will comply with the Terms and Conditions described below:

Offer good until 12/31/2021 for up to 12 months of REYVOW. Patients with commercial drug insurance may be able to pay as little as \$0 for their first fill of REYVOW. For the 2nd and subsequent fills, patients must have coverage for REYVOW through their commercial drug insurance plan to continue to pay as little as \$0 per fill. Offer subject to a monthly savings of wholesale acquisition cost plus usual and customary pharmacy charges and a separate \$3,400 maximum annual savings. Participation in the program requires a valid patient HIPAA authorization. Patient is responsible for any applicable taxes, fees, or amounts exceeding monthly or annual caps. **This offer is invalid for patients without commercial drug insurance or those whose prescription claims are eligible to be reimbursed, in whole or in part, by any governmental program, including, without limitation, Medicaid, Medicare, Medicare Part D, Medigap, DoD, VA, TRICARE[®]/CHAMPUS, or any state patient or pharmaceutical assistance program.**

If you live in Massachusetts, the Card expires on the earlier of: (i) the expiration date of this Card (12/31/2021); (ii) the date an AB-rated generic equivalent for REYVOW becomes available; or (iii) 12/31/2020, absent a change in Massachusetts state law. If you live in California, the Card expires on the earlier of: (i) the expiration date of this Card (12/31/2021) or (ii) the date an FDA-approved therapeutically equivalent for REYVOW or over-the-counter product with the same active ingredients becomes available.

Available only in the US and Puerto Rico for residents of the US and Puerto Rico.

By accepting this offer, you agree that if you are required to do so under the terms of your insurance coverage for this prescription or are otherwise required to do so by law, you should notify your insurance carrier of your redemption of this Card. This offer cannot be combined or utilized with any other program, discount, discount card, cash discount card, coupon, incentive, or similar offer involving REYVOW. It is prohibited for any person to sell, purchase, or trade; or to offer to sell, purchase, or trade; or to counterfeit this Card. This offer may be terminated, rescinded, revoked, or amended by Lilly USA, LLC at any time without notice. Card activation required. This Card is not health insurance. This Card expires on 12/31/2021.

In just **3 simple steps**, you could start saving:

1. **Download and Activate** your card at REYVOW.com/savings-support or by calling 1-833-REYVOW1 ([1-833-739-8691](tel:1-833-739-8691))
2. **Take** it when you pick up your prescription
3. **Start** saving

You can also text **SAVE** to **55900** to receive a link to activate your Savings Card.

Message and data rates may apply.

To continue saving on REYVOW, your doctor's office may need to submit documentation known as a "prior authorization" for approval by your insurer.

Talk to a REYVOW Support Specialist




Call us at **1-833-REYVOW1** ([1-833-739-8691](tel:1-833-739-8691)), if you have questions about REYVOW



Text **SUPPORT** to **55900** to receive a guide to savings and info for taking REYVOW*

*Message and data rates apply.



Please see [page 6](#) for Purpose and Safety Summary.

REYVOW[®]
(lasmiditan)[Ⓒ]
tablets 50mg,100mg

PURPOSE AND SAFETY SUMMARY

Important Facts About REYVOW® (RAY-vow) tablets. REYVOW is also known as lasmiditan.

- REYVOW is a prescription medicine for adults. It is used to treat migraine attacks with or without aura when they happen (acute treatment). It is a tablet that you take by mouth.
- REYVOW is not used to prevent migraine attacks.
- It is not known if REYVOW is safe and effective in children.
- REYVOW is a federally controlled substance (C-V) because it contains lasmiditan that can be abused. Protect REYVOW from being stolen, and never give it to others because it may harm them. Selling or giving away REYVOW is illegal. Tell your doctor if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

Warnings

- **Do not** drive or operate machinery for at least 8 hours after you take REYVOW, even if you feel well enough. **You should not** take REYVOW if you cannot wait at least 8 hours between taking REYVOW and driving or operating machinery.
- You should not drink alcohol or take other medicines that make you drowsy while taking REYVOW.

REYVOW can cause serious side effects, including:

- **Medication overuse headache:** People who take medicines to treat a migraine when it happens (acute treatments such as REYVOW) for 10 or more days each month can sometimes get worse headaches. If your headaches get worse, your doctor may stop your treatment.
- **Serotonin syndrome** is a rare but serious problem that can happen to people who take REYVOW. This is more likely to happen if you take it with antidepressant medicines called SSRIs (selective serotonin reuptake inhibitors) or SNRIs (serotonin-norepinephrine reuptake inhibitors). Call your doctor right away if you have any of these symptoms:
 - mental changes, such as seeing things that are not there (hallucinations), agitation, or coma
 - fast heartbeat or changes in blood pressure
 - high body temperature
 - tight muscles
 - trouble walking
 - nausea, vomiting, or diarrhea

Common Side Effects

The most common side effects of REYVOW include dizziness, sleepiness, numbness, feeling tired, and tingling. These are not all the possible side effects of REYVOW. Tell your doctor if you have any side effects.

You can report side effects to FDA at [1-800-FDA-1088](tel:1-800-FDA-1088) or www.fda.gov/medwatch.

Before You Take REYVOW:

- Tell your doctor about all your medical conditions, including these:
 - liver problems
 - a low heart rate
 - high blood pressure
 - allergy to lasmiditan
- Tell your doctor if you are pregnant or plan to become pregnant. Also tell your doctor if you are breastfeeding or plan to breastfeed.
- Tell your doctor about all prescription and over-the-counter medicines, vitamins, and herbal supplements you take. **Especially tell your doctor if you take any of these:**
 - propranolol or other medicines that can lower your heart rate
 - medicines that can increase blood pressure
 - medicines that make you sleepy
 - antidepressant medicines of these types:
 - SSRIs or SNRIs
 - TCAs (tricyclic antidepressants)
 - MAOIs (monoamine oxidase inhibitors)

How to Take

Take REYVOW exactly as your doctor tells you to, and do not change your dose without talking to your doctor. REYVOW should only be used during a migraine attack. It should not be used to try to prevent migraine attacks.

- Take REYVOW tablets by mouth, with or without food.
- Do not take REYVOW more than one time within a 24-hour period. This means you must wait 24 hours between doses of REYVOW, even if your headache does not go away or goes away and comes back.

Learn More

For more information, go to REYVOW.com or call 1-833-REYVOW1 (1-833-739-8691).

This summary provides basic information about REYVOW, but it does not include all the information known about this medicine. Read the information that comes with your prescription every time you have a prescription filled. Talk to your doctor or pharmacist about this information. Your doctor is the best person to help you decide if REYVOW is right for you.

LM CON BS 15JUL2020

REYVOW®
(lasmiditan) 
tablets 50mg, 100mg

REYVOW[®]
(lasmiditan) 
tablets 50mg, 100mg



NOW IS THE TIME TO **ATTACK** **BACK WITH REYVOW**



REYVOW[®] could help you go beyond relief to be 100% pain free from a migraine attack in 2 hours.



You can try REYVOW[®] for as little as \$0 for up to 12 months if you're eligible and commercially insured (see [page 5](#) for full Terms and Conditions).

Find out more at REYVOW.com

Select Safety Information

Do not drive or operate machinery for at least 8 hours after you take REYVOW[®], even if you feel well enough. **You should not** take REYVOW[®] if you cannot wait at least 8 hours between taking REYVOW[®] and driving or operating machinery.

Please see [page 6](#) for Purpose and Safety Summary.



REYVOW[®] is a registered trademark owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates. TRICARE is a registered trademark of the Department of Defense (DoD), DHA. Attack Back[™] and the Migraine Monster[™] are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates. PP-LM-US-0558 08/2020 ©Lilly USA, LLC 2020. All rights reserved.